IN THE CLAIMS:

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended)   A WebDVD player, comprising:

a local database including at least a plurality of universal resource locators (URLs) associated with corresponding ones of a plurality of websites associated with corresponding ones of a plurality of content providers, a plurality of expected title identifications associated with corresponding ones of said plurality of content providers, and a list of methods for an indication of a method for deriving a title identification for each of said content providers, said method methods consisting of at least one of a read operation and an algorithmic operation, and a location defining a pre-selected location containing information upon which indicated method operates;

means for deriving [[a]] said title identification (Title_ID TitleID) of a legacy DVD disc, the Title_ID TitleID being a unique identifier of a title of the legacy DVD disc, wherein the Title_ID TitleID is derived in accordance with one of said methods specified in the database; and

means for linking the disc to a related web site based on the derived Title_ID TitleID.

2. (Cancelled).

3. (Currently amended)   The player of claim 1, further comprising means for determining whether the derived Title_ID TitleID matches an expected title identification value indicated in the database that is associated with the specified method.

4. (Currently amended)   The player of claim 1, further comprising means for retrieving a universal resource locator (URL) in the database that is associated with the expected title identification value if the derived Title_ID TitleID matches the expected title identification value.

5. (Currently amended)   The player of claim 1, wherein said method of deriving the
Title_ID ~~TitleID~~ comprises reading a unique identifier from [[a]] the pre-selected
location of the disc.

6. (Original)   The player of claim 5, wherein the pre-selected location is a burst cutting
area (BCA).

7. (Original)   The player of claim 5, wherein the pre-selected location is a private data
sector.

8. (Currently amended)   The player of claim 1, wherein said method of deriving the
Title_ID ~~TitleID~~ comprises reading a Volume Set ID in a Universal Disc Format (UDF)
file system of the disc.

9. (Currently amended)   The player of claim 1, wherein said method of deriving the
Title_ID ~~TitleID~~ comprises reading selected data available on the disc.

10. (Currently amended)   The player of claim 1, further comprising:
         means for retrieving a provider unique identification (PVR_ID ~~PVRID~~) from the
disc;
wherein the Title_ID ~~TitleID~~ is derived based on the retrieved PVR_ID ~~PVRID~~ of the
disc.

11. (Currently amended)   The player of claim 10, further comprising:
         means for determining whether the retrieved PVR_ID ~~PVRID~~ matches a
corresponding URL in the list; and
         means for searching through the title identifications in the table that are associated
with the corresponding URL for finding a matching Title_ID ~~TitleID~~.

12. (Cancelled)

13. (Currently amended)   The player of claim [[12]] 11, wherein if the derived
Title_ID TitleID fails to match any expected title identification in the table, the linking
means links the disc to a general web site of a content provider using the corresponding
URL.

14. (Currently amended)   The player of claim [[12]] 11, further comprising:
        means for accessing a source web site, if the derived Title_ID TitleID does not
match any expected title identification in the table, the source web site containing a
database which includes a list of universal resource locator (URL) links to related web
sites and their associated PVR_ID PVRID and Title_ID TitleID;
        means for searching a corresponding URL in the source web site database based
on the retrieved PVR_ID PVRID and derived Title_ID TitleID; and
        means for linking the disc to a related web site using the corresponding
matching URL.

15. -20 (Cancelled)

21. (Currently amended)   A method for linking a legacy DVD disc to a related web
site, the method comprising the steps of:
        populating a local database to include at least a plurality of universal resource
locators (URLs) associated with corresponding ones of a plurality of websites associated
with corresponding ones of a plurality of content providers, a plurality of expected title
identifications associated with corresponding ones of said plurality of content providers
and a list of methods an indication of a method for deriving a title identification for each
of said content providers, said method methods consisting of at least one of a read
operation and an algorithmic operation and a location defining a pre-selected location
containing information upon which said indicated method operates;
        deriving a title identification (Title_ID TitleID) of the disc, the Title_ID TitleID
being a unique identifier of a title of the disc, wherein the Title_ID TitleID is derived in
accordance with one of said methods specified in the database; and

linking the disc to a related web site based on the derived Title_ID TitleID.

22. (Cancelled)   .

23. (Currently amended)   The method of claim 21, further comprising the step of
determining whether the derived Title_ID TitleID matches an expected title identification
value indicated in the database that is associated with the specified method.

24. (Currently amended)   The method of claim 21, further comprising the step of
retrieving a universal resource locator (URL) in the database that is associated with the
expected title identification value if the derived Title_ID TitleID matches the expected
title identification value.

25. (Currently amended)   The method of claim 21, wherein said method of deriving
the Title_ID TitleID comprises reading a unique identifier from [[a]] the pre-selected
location of the disc.

26. (Original) The method of claim 25, wherein the pre-selected location is a burst
cutting area (BCA).

27. (Original) The method of claim 25, wherein the pre-selected location is a private data
sector.

28. (Currently amended)   The method of claim 21, wherein said method of deriving
the Title_ID TitleID comprises reading a Volume Set ID in a Universal Disc File (UDF)
file system of the disc.

29. (Currently amended)   The method of claim 21, wherein said method of deriving
the Title_ID TitleID comprises reading selected data available on the disc.

30. (Currently amended)   The method of claim 29, further comprising the steps of:

retrieving a provider unique identification (PVR_ID ~~PVRID~~) from the disc;

wherein the Title_ID ~~TitleID~~ is derived based on the retrieved PVR_ID ~~PVRID~~ of the

disc.

31. (Currently amended)   The method of claim 30, further comprising the steps of:

determining whether the retrieved PVR_ID ~~PVRID~~ matches a corresponding

URL in the list; and

searching through the Title_ID ~~TitleID~~ in the table that are associated with the

corresponding URL for finding a matching Title_ID ~~TitleID~~.

32. (Cancelled)

33. (Currently amended)   The method of claim [[32]] 31, further comprising the

steps of:

accessing a source web site, if the derived Title_ID ~~TitleID~~ does not match any

expected title identification in the table, the source web site containing a database which

includes a list of universal resource locator (URL) links to related web sites and their

associated PVR_ID ~~PVRID~~ and Title_ID ~~TitleID~~;

searching a corresponding URL in the database based on the retrieved

PVR_ID ~~PVRID~~ and derived Title_ID ~~TitleID~~; and

linking the disc to a related web site using the corresponding matching URL.

34. -37. (Cancelled)

38. (Original)   The player of claim 14, further comprising means for periodically

updating the database and the table stored by the storing means with information

from the source web site.

39. (Original)   The player of claim 14, further comprising means for caching an

address of a website address each time the web site is accessed.

40. (Original) The player of claim 14, further comprising means for allowing a user to manually update the database and the table stored by the storing means with new information.